

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	("5499319" "5701440" "5724488" "5983220" "6253186" "6317730" "6463431").PN. or ("5701400").PN.	USPAT	OR	ON	2006/06/07 16:24
S2	818	(self\$1organizing or (self adj organizing)) adj map	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 11:10
S3	292	naive with bayes\$4 with classif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 11:11
S4	366	learning with vector with quantiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 11:11
S5	1311	probabil\$6 with (neural adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 11:12
S6	186	neur\$4 with genetic\$5 with optim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 11:12
S7	2759	S2 S3 S4 S5 S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:29
S8	1	S2 S3 S4 S5 S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/06/06 11:14
S9	1	S2 S3 S4 S5 S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2006/06/06 11:13
S10	15	(hire or hiring) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/06/06 11:19

EAST Search History

S11	2496	(opinion or judg\$5 or evaluat\$7 or determin\$6) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 16:10
S12	332	(opinion or judg\$5 or evaluat\$7 or determin\$6) and (S7 same fuzz\$9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 11:17
S13	102	(opinion or judg\$5 or evaluat\$7 or determin\$6) and S7	EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 13:56
S14	4142	fuzz\$10 with neur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 13:56
S15	739	classif\$8 same S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 14:25
S16	112	infer\$7 same S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 13:58
S17	28	S16 same (decid\$ or decision)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 14:24
S18	102	706/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 15:41
S19	55	classif\$8 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 14:25
S20	4	S1 and classif\$8	USPAT	OR	ON	2006/06/06 15:29

EAST Search History

S21	123	706/20.ccls. and fuzz\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 15:42
S22	143	706/52.ccls. and neur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 15:42
S23	120	706/2,8.ccls. and neur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 15:42
S24	360	(opinion or judg\$5 or evaluat\$7 or determin\$6) and (S21 or S22 or S23)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 16:10
S25	60	S24 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 16:11
S26	57	S25 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:49
S27	5	(hire or hiring) with insurance with agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:30
S28	249	Kohonen with learning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:44
S29	582	Bayesian with learning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:44

EAST Search History

S30	1	Widrow\$1Huff with learning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:45
S31	113	(Widrow or Huff) with learning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:45
S32	113	S30 or S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:46
S33	32	S2 same S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:46
S34	67	S4 same S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:46
S35	33	S3 same S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:47
S36	1	S5 same S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:47
S37	12	((back with propagat\$5) or back\$1propagat\$5) same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:48
S38	154	(genetic adj algorithm) same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:48

EAST Search History

S39	26	S33 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:00
S40	61	S34 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 19:10
S41	24	S35 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:56
S42	1	S36 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:50
S43	11	S37 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 17:50
S44	132	S38 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:10
S45	84	S44 and (@pd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:08
S46	41	S40 and (@pd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:05
S47	60	S44 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:30

EAST Search History

S48	0	S44 and (neural adj genetic adj optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:10
S49	2	(neural adj genetic adj optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:10
S50	20	S44 and ((neur\$4 adj3 genetic) near10 optimiz\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:11
S51	12	S47 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/06 18:11
S52	818	(self\$1organizing or (self adj organizing)) adj map	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:29
S53	292	naive with bayes\$4 with classif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:29
S54	366	learning with vector with quantiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:29
S55	1311	probabil\$6 with (neural adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:29
S56	186	neur\$4 with genetic\$5 with optim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:29
S57	2759	S52 S53 S54 S55 S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:29

EAST Search History

S58	19	S57 same (binary with classif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:31
S59	2	S58 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:31
S60	91	S57 same classif\$8 same state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:31
S61	16	S60 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 10:48
S62	32	S57 and (three adj states) and classif\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 11:22
S63	8	S62 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 11:23
S64	3441	(model\$4 with identif\$8) and (parameter with estimat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 11:22
S65	662	(model\$4 with identif\$8) same (parameter with estimat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 11:22
S66	126	S57 and S64 and classif\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 11:23

EAST Search History

S67	30	S57 and S65 and classif\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 11:23
S68	4	S67 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 16:59
S69	18	S66 and (@pd<"20020611") not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 15:54
S70	9	(fuzzy with neur\$4) same (binary with classif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 15:55
S71	9	(ANFIS or (fuzzy with neur\$4)) same (binary with classif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 19:08
S72	3	ANFIS and (binary with classif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 15:55
S73	11	S71 or S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 15:55
S74	8	("5499319" "5701440" "5724488" "5983220" "6253186" "6317730" "6463431").PN. or ("5701400").PN.	USPAT	OR	ON	2006/06/07 16:24
S75	4	S74 and neural	USPAT	OR	ON	2006/06/07 16:26
S76	4	S75 and (train\$4 or learn\$4)	USPAT	OR	ON	2006/06/07 16:48
S77	2	S74 and neuron	USPAT	OR	ON	2006/06/07 16:50
S78	7	S74 and (fuzzy or inference)	USPAT	OR	ON	2006/06/07 16:52
S79	3	S74 and (learn\$6)	USPAT	OR	ON	2006/06/07 16:58
S80	0	S57 and ANFIS	USPAT	OR	ON	2006/06/07 16:59
S81	128	S57 and fuzz\$9 and infer\$7	USPAT	OR	ON	2006/06/07 16:59

EAST Search History

S82	42	S81 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:16
S83	1	S57 and biographical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:16
S84	894	S57 and behavior	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:20
S85	70	S57 and personality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:16
S86	9	S85 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:20
S87	894	S84 and behavior	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:20
S88	187	S84 and (@pd<"20020611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:20
S89	66	S88 and fuzzy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 17:21
S90	19	S57 same (binary with classif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 19:09

EAST Search History

S91	2	S57 same (two adj states)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/06/07 19:09
S92	15	(S90 or S91) and (@ad<"20030611" or @pd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:28
S93	5	(hire or hiring) with insurance with agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:35
S94	5	S93 and (output\$4 result\$4 determin\$6 conclus\$6 decid\$5 decis\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:36
S95	2303	(hire hiring) same (output\$4 result\$4 determin\$6 conclus\$6 decid\$5 decis\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:37
S96	19	S95 same yes same no	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:37
S97	508	S95 same two	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:37
S98	4	S96 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:38
S99	14	(S96 S98) and (@pd<"20030611" @ad<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 12:39

EAST Search History

S10 0	331013	@ad<"20030611" and @pd>"20060501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:29
S10 1	917	(self\$1organizing or (self adj organizing)) adj map	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S10 2	402	naive with bayes\$4 with classif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S10 3	381	learning with vector with quantiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S10 4	1470	probabil\$6 with (neural adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S10 5	204	neur\$4 with genetic\$5 with optim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S10 6	3115	S101 S102 S103 S104 S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S10 7	26	(hire or hiring) and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2007/07/09 15:55
S10 8	112	(opinion or judg\$5 or evaluat\$7 or determin\$6) and S106	EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S10 9	130	706/20.ccls. and fuzz\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32

EAST Search History

S11 0	149	706/52.ccls. and neur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 1	123	706/2,8.ccls. and neur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 2	375	(opinion or judg\$5 or evaluat\$7 or determin\$6) and (S109 or S110 or S111)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 3	64	S112 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 4	59	S113 and (@rlad<"20030611" or @ad<"20030611" or @pd<"20030611" or @rlpd<"20030611")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 5	917	(self\$1organizing or (self adj organizing)) adj map	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 6	402	naive with bayes\$4 with classif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 7	381	learning with vector with quantiz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 8	1470	probabil\$6 with (neural adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S11 9	204	neur\$4 with genetic\$5 with optim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32

EAST Search History

S12 0	3115	S115 S116 S117 S118 S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S12 1	2	S120 same (two adj states)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:32
S12 2	7	S100 and (S107 S108 S113 S114 S121)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/11/29 17:33
S12 3	3	((("5722418") or ("5980096") or ("6493723"))). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/09 13:31
S12 4	0	"hire" same "do not hire"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 15:48
S12 5	0	do adj "not" adj hire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 15:48
S12 6	12	(hire or hiring) same (neur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2007/07/09 15:55

NPL search.txt

=====

IEEE 6/6/2006

(casalino <in> metadata) <and> (1124 <in> punumber)

'binary classifier' <and> (neur* <sentence> fuzz*) <in> pdfdata

(classifier <and> (neur* <sentence> fuzz*) <in> pdfdata) <and> (pyr >= 1950 <and> pyr <= 2002)

((hire <or> hiring) <and> classifier <and> (neur* <sentence> fuzz*) <in> pdfdata) <and> (pyr >= 1950

<and> pyr <= 2002)

=====

Google 6/6/2006

EMPLOY INSURANCE AGENT HIRE SYSTEM KEYBOARD INPUT DATA DECIDE NODE MODEL IDENTIFY
STEP FUZZ INTERFERENCE

SYSTEM REVIEW DATA

EMPLOY INSURANCE AGENT HIRE SYSTEM DECIDE NODE MODEL IDENTIFY STEP FUZZ INTERFERENCE
REVIEW

EMPLOY INSURANCE AGENT HIRE SYSTEM DECIDE NODE MODEL IDENTIFY STEP FUZZ INFERENCE

+(employ OR hire) "insurance agent" +(~fuzz OR ~fuzzy OR ~fuzzification) inference
+(~model OR ~identify

OR ~decide OR ~node OR ~system)

"code yellow" hiring

=====

Google Scholar 7/9/2007

"hire" "do not hire" "neural network"

hiring "neural network"

hiring "neural network" "three states"

hiring "neural network" "two states"

"hire" "do not hire" "hire with caution"

"hire" "do not hire" "hiring system"